

Software for communication between Siemens-S5 and LCA 285/LCA 245						
Article	Description of article	Order number	EOL announcement	Article	Description of article	Description of article
PCS 009.s WIN	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - Serial-Interface	910.500.0100		PCS 009.s WIN	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - Serial-Interface	910.500.0100
PCS 009 topline	LCD-Display / 4x 20 Characters, Soft keys	910.200.0030	06/2005			
PCS 609 euroline	LCD-Display / 4x 20 Characters	910.320.0020	06/2005	EOL without replacement		
PCS 009.m WIN	LCD-Display / 4x 20 Characters, 8 Function keys, Printer - MPI-Interface	910.500.0080		PCS 009.m WIN	LCD-Display / 4x 20 Characters, 8 Function keys, Printer - MPI-Interface	910.500.0080
PCS 009.p WIN	LCD-Display / 4x 20 Characters, 8 Function keys, Printer - Profibus-Interface	910.500.0090		PCS 009.p WIN	LCD-Display / 4x 20 Characters, 8 Function keys, Printer - Profibus-Interface	910.500.0090
PCS 009.c WIN	LCD-Display / 4x 20 Characters, 8 Function keys, Printer - CAN open-Interface	910.500.0600	no sale for 18 month	EOL without replacement		
PCS 009.i WIN 910.500.0070	LCD-Display / 4x 20 Characters, 8 Function keys, Printer - Interbus-Interface		no sale for 18 month	EOL without replacement		
PCS 090.s WIN	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - Serial-Interface	910.510.0120		PCS 090.s WIN	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - Serial-Interface	910.510.0120
PCS 090	LCD-Display / 2x 40 Characters, Soft keys	910.210.0040	06/2005			
PCS 690 euroline	LCD-Display / 2x 40 Characters	910.330.0020	06/2005	EOL without replacement		
PCS 090.m WIN	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - MPI-Interface	910.510.0100		PCS 090.m WIN	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - MPI-Interface	910.510.0100
PCS 090.p WIN	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - Profibus-Interface	910.510.0110		PCS 090.p WIN	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - Profibus-Interface	910.510.0110
PCS 090.c WIN	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - CAN open-Interface	910.510.0080	no sale for 18 month	EOL without replacement		
PCS 090.i WIN 910.510.0090	LCD-Display / 2x 40 Characters, 8 Function keys, Printer - Interbus-Interface		no sale for 18 month	EOL without replacement		
PCS 095.s WIN	LCD-Display / 4x 40 Characters, 16 Function keys, Printer - Serial-Interface	910.520.0130		PCS 095.s WIN	LCD-Display / 4x 40 Characters, 16 Function keys, Printer - Serial-Interface	910.520.0130
PCS 095 topline	LCD-Display / 4x 40 Characters, Protocol, Soft keys	910.220.0070	06/2005			
PCS 695 euroline	LCD-Display / 4x 40 Characters	910.340.0020	06/2005	EOL without replacement		
PCS 095.m WIN	LCD-Display / 4x 40 Characters, 16 Function keys, Printer - MPI-Interface	910.520.0110		PCS 095.m WIN	LCD-Display / 4x 40 Characters, 16 Function keys, Printer - MPI-Interface	910.520.0110
PCS 095.p WIN	LCD-Display / 4x 40 Characters, 16 Function keys, Printer - Profibus-Interface	910.520.0120		PCS 095.p WIN	LCD-Display / 4x 40 Characters, 16 Function keys, Printer - Profibus-Interface	910.520.0120
PCS 095.c WIN	LCD-Display / 4x 40 Characters, 16 Function keys, Printer - CAN open-Interface	910.520.0090	no sale for 18 month	EOL without replacement		
PCS 095.i WIN 910.520.0100	LCD-Display / 4x 40 Characters, 16 Function keys, Printer - Interbus-Interface		no sale for 18 month	EOL without replacement		

PCS 950.s WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer - Serial-Interface	910.530.0150			PCS 950.s WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer - Serial-Interface	910.530.0150
PCS 950 topline	LCD-Monochrome-Display / 320 x 240 Pixel, Protocol, Soft Keys,	910.250.0060	06/2005				
PCS 950.m WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer - MPI-Interface	910.530.0130			PCS 950.m WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer - MPI-Interface	910.530.0130
PCS 950.p WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer - Profibus-Interface	910.530.0140			PCS 950.p WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer - Profibus-Interface	910.530.0140
PCS 950.c WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer - CAN open-Interface	910.530.0120	no sale for 18 month		EOL without replacement		
PCS 950.i WIN 910.530.0110	LCD-Monochrome-Display / 320 x 240 Pixel, 20 Function keys, Printer - Interbus-Interface		no sale for 18 month		EOL without replacement		
PCS 950q.s WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer, prepared ø22,5 for 4 logic elements - Serial-Interface	910.540.0110			PCS 950q.s WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer, prepared ø22,5 for 4 logic elements - Serial-Interface	910.540.0110
PCS 950q topline	LCD-Monochrome-Display / 320 x 240 Pixel, Protocol, Soft Keys, prepared ø22,5 for 4 logic elements	910.260.0080	06/2005				
PCS 950q.m WIN	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer, prepared ø22,5 for 4 logic elements - MPI-Interface	910.540.0120			PCS 950q.m WIN 910.540.0120	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer, prepared ø22,5 for 4 logic elements - MPI-Interface	
PCS 950q.p WIN 910.540.0130	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer, prepared ø22,5 for 4 logic elements - Profibus-Interface				PCS 950q.p WIN 910.540.0130	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer, prepared ø22,5 for 4 logic elements - Profibus-Interface	
PCS 950q.c WIN 910.540.0150	LCD-Monochrome-Display / 320 x 240 Pixel, 20 Function keys, Printer, prepared ø22,5 for 4 logic elements - CAN open-Interface		no sale for 18 month		EOL without replacement		
PCS 950q.i WIN 910.540.0140	LCD-Monochrome-Display / 320 x 240 pixel, 20 Function keys, Printer, prepared ø22,5 for 4 logic elements - CAN open-Interface		no sale for 18 month		EOL without replacement		
PCS 900 WIN	VF-Display: 2x 40 Characters, 20 Function keys, Printer - Serial-Interface	910.230.0040			PCS 900 WIN	VF-Display: 2x 40 Characters, 20 Function keys, Printer - Serial-Interface	910.230.0040
PCS 900 topline	VF-Display / 2x 40 Characters, Protocol, Soft keys	910.230.0010	06/2005				

Software

HMI Tool	Programming software for PCS/LCA System	980.110.0010			HMI Tool	Programming software for PCS/LCA System	980.110.0010
PCSPRO	Master-Software (DOS-Version) for programming of PCS 009, 090, 095, 900	980.100.0010				incl. Kithara DOS Enabler	
Kithara	Kithara DOS Enabler single user licence (allows PCSPRO running with Windows NT; Windows 2000 or Windows XP)	581.900.0020					
PCSPRO WIN	Programming software for PCS WIN and PCS PLUS	980.110.0010					
PCS 693	Programming software for PCS 609, PCS 690, PCS 695 (incl. Manuals)	980.192.0010					
LCA PRO	Master-Programming software for LCAstarline	980.010.0010					
LCA 290	Software for communication between Siemens-S5 and LCA 285/LCA 245						
LCA 291	Software for communication between Siemens-S5 and LCA 245 + LCA 265						
LCA 292	Software for text input and programming EPROM of LCA 180						
LCA 293	Software for text input and programming EPROM of LCA 042						
LCA 294	Programming software for EPROM of LCA 044						
LCA 298	Programming software for LCA 245 to LCA 285						

Communication modules and accessories

PCS 812	MPI-Multibox	991.110.0030			PCS 812	MPI-Multibox	991.110.0030
PCS 807	Profibus-DP-Multibox	991.110.0010			PCS 807	Profibus-DP-Multibox	991.110.0010
PCS 811	Interbus-S-Multibox	991.110.0020	no sale for 18 month		EOL without replacement		
PCS 810.1	Interface Simatic S5 using Lauer protocol : 1x Serial	991.135.0010	LTB 12/2010		PCS 810.3	Interface Simatic S5 mit Lauer Protokoll 3x Seriell	991.135.0020
PCS 810.3	Interface Simatic S5 using Lauer Protocol 3x Serial	991.135.0020					

Front foil

FF009plus 301.500.0130	Foil set PCS 009 Plus				EOL without replacement		
FF090plus 301.510.0380	Foil set PCS 090 Plus				EOL without replacement		
FF095plus 301.520.0530	Foil set PCS 095 Plus				EOL without replacement		
FF950plus 301.530.0110	Foil set PCS 950 Plus				EOL without replacement		
FF950qplus 301.540.0070	Foil set PCS 950q Plus				EOL without replacement		

Adapter cable (length 3 m)

Adapt. KBL 717	Adapter cable Siemens S5 across AS511, TTY -> RS232	310.200.0600			Adapt. KBL 717	Adapter cable Siemens S5 across AS511, TTY -> RS232	310.200.0600
Adapt. KBL 717.10m	Adapter cable Siemens S5 across AS511, TTY -> RS232 - 10 m	310.200.1300			EOL without replacement		
Prog.KBL 721	Siemens S7-200 PPI/Freeport for PCS	310.200.0180			EOL without replacement		
Prog.KBL 733	Programming cable for LCA/PCS	310.200.0020			Prog.KBL 733	Programming cable for LCA/PCS	310.200.0020
Prog.KBL 733.E	Programming cable Ethernet - 2m	310.200.1930			EOL without replacement		
Prog.KBL 737	Programming cable PCS, LCA - PC Interface 25 pin	310.200.0060			EOL without replacement		
Prog.KBL 739	Programming cable PCS, LCA - PC Interface 9 pin	310.200.0120			Prog.KBL 739	Programming cable PCS, LCA - PC Interface 9 pin	310.200.0120
Adapt. KBL 235	Adapter cable from the Printer LCA 710 to LCA - 2 m	310.200.0360			EOL without replacement		
PCS USB Prog	Adapter cable USB > RS232 for programming of PCS (only in conjunction with HMI tool software)	900.900.0040			PCS USB Prog	Adapter cable USB > RS232 for programming of PCS (only in conjunction with HMI tool software)	900.900.0040
Prog.KBL 716	Programming cable PCS und LCA	310.200.0110			EOL without replacement; connection plan @ web download		

Other accessories

PCS 802 Topline	Memory Pack (64 kB EEPROM) for PCS 900, 950 (e,q)	991.100.0020	06/2005		EOL without replacement		
PCS 806 Topline	Memory Pack (128 kB EEPROM) for PCS 900, PCS 950 (e, q)	991.100.0040	06/2005		EOL without replacement		
PCS 010 991.140.0010	battery PCS (spare part)				PCS 010 991.140.0010	battery PCS (spare part)	
LCA 710	Industrial printer with serial interface for LCA, PCS Standard	900.150.0010			LCA 710	Industrial printer with serial interface for LCA, PCS Standard	900.150.0010
LCA 710	Industrial printer with serial interface for LCA, PCS US ASCII	900.150.0030			LCA 710	Industrial printer with serial interface for LCA, PCS US ASCII	900.150.0030
LCA 714	inked ribbon for LCA 710, per piece	990.020.0010			LCA 714	inked ribbon for LCA 710, per piece	990.020.0010
LCA 715	Paper for LCA 710, 5 pieces	990.020.0020			LCA 715	Paper for LCA 710, 5 pieces	990.020.0020
LCA 755	Paper for LCA 750, 10 pieces	990.020.0030			LCA 755	Paper for LCA 750, 10 pieces	990.020.0030
LCA 200	LCD-Display / 2x 40 Characters, EEPROM, 1024 Messages, parallel or serial AS511	900.200.0020			LCA 200	LCD-Display / 2x 40 Characters, EEPROM, 1024 Messages, parallel or serial AS511	900.200.0020
LCA 600	LCD-Display / 2x 40 Characters, FLASH, 999 Messages, RS 232, ASCII-Protocol		06/2005		EOL without replacement		
LCA 300.1	LCD-Display / 2x 40 Characters, 8 Keys, FLASH, 1024 Messages, RS 232/TTY/485/422	900.220.0050			LCA 320.1	LCD-Display / 4x 40 Messages, 8 Keys, FLASH, 1024 Messages, RS 232/TTY/RS 485/ 422	900.240.0050

LCA 320.1	LCD-Display / 4x 40 Messages, 8 Keys, FLASH, 1024 Messages, RS 232/TTY/RS 485/ 422	900.240.0050					
LCA 640.1	LCD-Display / 4x 40 Messages, 8 Keys, FLASH, 999 Messages RS 232/TTY/422, ASCII-Protocol		06/2005		EOL without replacement		
LCA 300.m	LCD-Display / 2x 40 Characters, 8 Keys, FLASH, 1024 Messages, MPI-Interface	900.220.0080			LCA 320.m	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, MPI-Interface	900.400.0090
LCA 300.p	LCD-Display / 2x 40 Characters, 8 Keys, FLASH, 1024 Messages, Profibus-Interface	900.220.0070			LCA 320.p	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, Profibus-Interface	900.400.0100
LCA 320.0	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, RS 232/TTY	900.240.0040			LCA 320.1	LCD-Display / 4x 40 Messages, 8 Keys, FLASH, 1024 Messages, RS 232/TTY/RS 485/ 422	900.240.0050
LCA 320.i	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, Interbus-Interface	900.400.0080	no sale for 18 month		EOL without replacement		
LCA 320.p	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, Profibus-Interface	900.400.0100			LCA 320.p	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, Profibus-Interface	900.400.0100
LCA 320.m	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, MPI-Interface	900.400.0090			LCA 320.m	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, MPI-Interface	900.400.0090
LCA 325.1	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, RS 232/TTY/RS 485, Printer (RS232)	900.250.0040			LCA 325.1	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, RS 232/TTY/RS 485, Printer (RS232)	900.250.0040
LCA 325.p	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, Printer (RS232), Profibus-Interface	900.250.0060			LCA 325.p	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, Printer (RS232), Profibus-Interface	900.250.0060
LCA 325.m	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, Printer (RS232), MPI-Interface	900.250.0050			LCA 325.m	LCD-Display / 4x 40 Characters, 8 Keys, FLASH, 1024 Messages, Printer (RS232), MPI-Interface	900.250.0050
LCA 245	VF-Display / 2x 40 Characters, RAM, 512 Messages		06/2005		LCA 245	VF-Display / 2x 40 Characters, RAM, 512 Messages	
LCA 180	VF-Display / 2x 40 Characters, RAM/EPROM, RS 232/TTY, ASCII-Protocol		06/2005		LCA 180	VF-Display / 2x 40 Characters, RAM/EPROM, RS 232/TTY, ASCII-Protocol	
LCA 180.2	VF-Display / 2x 40 Characters, RS 485, network version		06/2005		EOL without replacement		